

SHOWA S-TEX 581

Durability meets comfort with SHOWA's S-TEX 581 cut-resistant gloves. Flexibility and form-fitting materials enable maximum precision when working on highly tactile tasks, and our unparalleled ergonomic gloves are designed with periods of long wear in mind. The S-TEX 581 are breathable to reduce perspiration and increase grip inside the glove, and the advanced nitrile coating increases grip on the glove's surface.



BENEFITS

- Cut-resistant
- Oil-resistant
- Extra Grip
- Abrasion-resistant
- Breathable
- Easy Movement
- Seamless knit
- Reusable
- Form-fitting

FEATURES

- Lightweight
- Microporous Nitrile Coating
- Liner made with Kevlar®
- Ergonomic

INDUSTRIES



Automotive



Construction



Glass



Mechanical

HAZARDS



Cut

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com |

USA@SHOWAGroup.com

© SHOWA GROUP 2021 | All rights reserved

NORMS & CERTIFICATES



PACKAGING

- Pair per polybag: 10
- Polybags per case: 12
- Pair per case: 120

LENGTH

235 - 270mm

COATING

- Microporous nitrile

SIZES

6/S | 7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Grey
- Black

TRADES & APPLICATIONS

- Automotive repairs and maintenance
- Maintenance
- Light assembly of oil-coated pieces
- Mechanical and engineering
- HVAC
- Install electrical wiring
- Screw and nail setting
- Steel fixing
- Handling glass and windows

MATERIAL

- Kevlar
- Nylon
- Polyester
- Seamless knit

TECHNOLOGY

- S-TEX

Basic UDI-DI
4907920017P
Single Registration Number
JP-MF-000001567

CONFORMITY ASSESSMENT, MEDICAL DEVICE REGULATION 2017/745, EXAMINATION GLOVES
Device Classification: Class I, Rule 5
Route to Compliance: Annex II and III of MDR 2017/745
Applied Harmonized Standards: EN 455-1, EN455-2, EN 455-3, EN 455-4

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com | USA@SHOWAGroup.com
© SHOWA GROUP 2021 | All rights reserved



USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com |
USA@SHOWAGroup.com
© SHOWA GROUP 2021 | All rights reserved